



ENVIRONMENTAL PROTECTION AGENCY GOVERNMENT OF SINDH

PLOT NO. ST-2/1, SECTOR 23, KORANGI INDUSTRIAL AREA, KARACHI.

Ambient Air Quality Monitoring Report

Ph: 021-35065946

Fax: 021-3065940

Fixed Ambient Air Quality Monitoring Station.

Ambient Air Quality Monitoring Location: SEPA Head Office, Karachi

Monitoring Date: 14 February , 2018

S.NO	PARAMETERS	TIME hr	CONCENTRATION MEAN VALUE IN PPM	RESULTS	Method	SEQS LIMITS
1	Oxides of Nitrogen as (NO)	24	0.0088	12.05 $\mu\text{g}/\text{m}^3$	Gas phase chemiluminescence	40 $\mu\text{g}/\text{m}^3$
			0.0090			
			0.0092			
2	Oxides of Nitrogen as (NO ₂)	24	0.0250	51.54 $\mu\text{g}/\text{m}^3$	Gas phase chemiluminescence	80 $\mu\text{g}/\text{m}^3$
			0.0251			
			0.0252			
3	Sulphur Dioxide (SO ₂)	24	0.0170	49.43 $\mu\text{g}/\text{m}^3$	Ultraviolet fluorescence	120 $\mu\text{g}/\text{m}^3$
			0.0173			
			0.0176			
4	Carbon Monoxide (CO)	8	1.25	1.56 mg/m^3	Non dispersive infra red(NDIR)	5 mg/m^3
5	O ₃	1	0.0016	3.43 $\mu\text{g}/\text{m}^3$	Non dispersive UV absorption	130 $\mu\text{g}/\text{m}^3$
6	Particulate Matter (PM -10)	24	238 $\mu\text{g}/\text{m}^3$	238$\mu\text{g}/\text{m}^3$	β Ray Absorption Method	150 $\mu\text{g}/\text{m}^3$

SEQS Sindh Environmental Quality Standard, the Sindh Govt. Gazette, Part – 1 Ext. jan.28, 2017 for Ambient Air.

*PPM=Parts per million

Remarks: The results of Ambient Air Quality Monitoring parameters are within the prescribe values set by SEQs except Particulate Matter (PM-10).

Syed Zeeshan Ali Taqvi
Lab Assistant-1 EPA
SEPA Karachi

Fahad Mohammad Khan
Chemist (Air) SEPA
SEPA Karachi